

## Air Cylinders

Part Number	Stroke	Bore	Body Length	Body Diameter	Spacing Between Ports	High Heat	Type
109094	1"	1"	4.625"	1.12"	3.875"	No	Spring Return
10931005	2"	1"	4.3125"	1.25"	3.75"	No	Double Acting
10931009	2"	1"	4.3125"	1.25"	3.75"	No	Double Acting
10931010	3"	1"	5.3125"	1.25"	4.75"	No	Double Acting
10931011	3"	1"	5.3125"	1.25"	4.75"	No	Double Acting
10931013	2"	1"	4.3125"	1.25"	3.70"	No	Double Acting
10931014	3"	1"	5.3125"	1.12"	5"	No	Double Acting
10954102	5.5"	2"	8.97"	2.08"	8.5"	No	Double Acting - Single Thread Mount - Side Port
10954103	4"	2"	8.125"	2.08"	6.875"	No	Double Acting - Nose Mount - Side Port
10954104	4"	1.5"	7.0625"	1.568"	6.095"	No	Double Acting - Nose Mount - Side Port
29037201	2"	1.125"	6.125"	1.138"	5.378"	Yes	Cushioned Cap End - Spring Return - Nose Mount
29037205	3"	1.125"	6"	1.12"	5.25"	Yes	Cushioned Both Ends - Nose Mount
29037206	2"	1.125"	5.69"	1.12"	5.19"	Yes	Spring Extend - Nose Mount
29037207	3"	1.125"	7.25"	1.12"	6.47"	Yes	Cushioned Cap End - Spring Return - Nose Mount
29044601	0.875"	1.0625"	4.2"	1.11"	3.15"	No	Single Acting - Double Rod - Spring Return
2904460101	0.875"	1.0625"	4.2"	1.11"	3.15"	Yes	Single Acting - Double Rod - Spring Return
29044602	0.875"	1.0625"	4.2"	1.11"	3.15"	No	Spring Return
2904460201	0.875"	1.0625"	4.2"	1.11"	3.15"	Yes	Spring Return
29044603	0.875"	1.0625"	4.2"	1.11"	3.15"	No	Single Acting - Double Rod - Spring Return
29044604	1"	1.5"	6"	1.56"	4.73"	No	Spring Return
2904460401	1"	1.5"	6"	1.56"	4.73"	Yes	Spring Return
29044606	1"	1.5"	6"	1.56"	4.73"	No	Spring Return

**Note:** Repair kits available for some cylinders - contact Conair Parts Department for information.

**Air Cylinders** (continued)

Part Number	Stroke	Bore	Body Length	Body Diameter	Spacing Between Ports	High Heat	Type
29044301	2"	1.0625"	2.876"	2"	2.367"	No	Double Acting
2904430101	2"	1.0625"	2.876"	2"	2.367"	Yes	Double Acting
29044302	0.75"	1.0625"	2.297"	2.014"	1.809"	No	Double Acting
2904430201	0.75"	1.0625"	2.297"	2.014"	1.809"	Yes	Double Acting
29044303	2.5"	1.5"	3.375"	2.62"	2.866"	No	Double Acting
2904430301	2.5"	1.5"	3.375"	2.62"	2.866"	Yes	Double Acting
29044304	1.5"	1.0625"	2.375"	2"	1.858"	No	Double Acting
2904430401	1.5"	1.0625"	2.375"	2"	1.858"	Yes	Double Acting
29044305	1.5"	1.5"	2.375"	2.62"	1.820"	No	Double Acting
2904430501	1.5"	1.5"	2.375"	2.62"	1.820"	Yes	Double Acting
29044306	1.5"	1.5"	2.375"	1.99"	1.847"	No	Double Acting
29044307	1.5"	1.5"	2.375"	2.62"	1.12"	No	Double Acting
2904430701	1.5"	1.5"	2.375"	2.62"	1.12"	Yes	Double Acting
29044308	1"	1.0625"	2.375"	2"	1.88"	No	Reverse Acting - Spring Return
2904430801	1"	1.0625"	2.375"	2"	1.88"	Yes	Reverse Acting - Double Rod - Spring Return
29044309	1.5"	1.0625"	3.505"	2"	2.96"	No	Reverse Acting - Spring Return
2904430901	1.5"	1.0625"	3.505"	2"	2.96"	Yes	Reverse Acting - Spring Return
29044310	2"	1.5"	4"	2.62"	3.496"	No	Reverse Acting - Spring Return
2904431001	2"	1.5"	4"	2.62"	3.496"	Yes	Reverse Acting - Spring Return
29048601	2"	1.0625"	3.376"	2"	2.33"	No	Double Acting - Single Rod End - Nose Mount
2904860101	2"	1.0625"	3.376"	2"	2.33"	Yes	Double Acting - Single Rod End - Nose Mount
29058301	3"	1.0625"	6.3"	1.119"	4.9"	No	Double Acting - Adjustable Stroke Nose Mount
2905830101	3"	1.0625"	6.3"	1.119"	4.9"	Yes	Double Acting - Adjustable Stroke Nose Mount

**Note:** Repair kits available for some cylinders - contact Conair Parts Department for information.

**Air Cylinders** (continued)

Part Number	Stroke	Bore	Options
26690301	1.96"	0.98"	N/A
26690302	3.93"	1.25"	N/A
26690303	3.14"	0.86"	N/A
26690304	0.78"	0.39"	N/A
26690305	1.18"	0.98"	N/A
26690306	1.57"	0.78"	N/A
26690307	1.37"	0.47"	N/A
26690308	1.96"	0.78"	N/A
26690309	0.98"	0.78"	N/A
26690310	3.14"	0.98"	High Temperature ( -20° C - 200° C )
26690311	1.96"	0.98"	N/A
26690312	3.93"	1.25"	N/A
26690313	1.96"	0.78"	High Temperature ( -20° C - +200° C )
26690314	3.14"	1.25"	High Temperature ( -20° C - +200° C )
26690315	1.57"	0.78"	High Temperature ( -20° C - +200° C )
26690316	3.93"	1.25"	High Temperature ( -20° C - +200° C )
26690317	3.14"	0.98"	High Temperature ( -20° C - +200° C )
26690318	1.37"	0.47"	High Temperature ( -20° C - +200° C )
26690319	1.96"	0.78"	High Temperature ( -20° C - +200° C )
26690320	3.93"	1.25"	High Temperature ( -20° C - +200° C )
26690321	5.98"	1.25"	N/A
26690322	3.93"	0.98"	N/A
26690323	5.98"	1.25"	High Temperature ( -20° C - +200° C )
26690324	3.93"	0.98"	High Temperature ( -20° C - +200° C )
26690401	1.96	0.98"	None
26690402	1.96	0.98"	High Temperature ( -20° C - +200° C )

**Note:** Repair kits available for some cylinders - contact Conair Parts Department for information.

**Air Cylinders** (continued)

Part Number	Stroke	Bore	Body Length	Body Diameter	Spacing Between Ports	High Heat
6132180124	1"	0.75"	3.283"	0.81"	N/A	No
6132180103	1.5"	0.75"	4.086"	0.81"	N/A	No
6132180059	3"	1.25"	6.0625"	1.313"	N/A	No
6132180058	1.5"	1.0625"	3.56"	1.12"	N/A	No
6132180065	1"	1.0625"	2.81"	0.81"	N/A	No
6132180023	3"	1.0625"	5.632"	1.12"	N/A	No
6132180017	1"	1.0625"	3.029"	1.12"	N/A	No
6132180077	0.5"	0.75"	2.315"	0.86"	N/A	No
6132180185	1"	1.0625"	3.009"	1.12"	N/A	No
6132180209	1.5"	1"	6.5"	1"	N/A	No
6132180219	1"	1"	5"	1"	N/A	No
6132180230	4"	1"	8"	1.0625"	5.6875"	No
29038001	2"	1.0625"	4.62"	1.12"	4.06"	No

**Note:** Repair kits available for some cylinders - contact Conair Parts Department for information.